


手動用ソケット

差込角 6.35mm (1/4")

標準／6角



商品コード	型式	二面幅寸法 (mm)	寸法 (mm)					質量 (g)
			D1	D2	L1	L	d	
275499	2S-03	3	6	13	3	21	2	7
	2S-04	4	7	13	4	21	3	8
	2S-4.5	4.5	7	13	4	21	3.5	8
	2S-05	5	8	13	5	22	4	10
275503	2S-5.5	5.5	8.5	13	5	22	4	10
	2S-06	6	9	13	5	22	4.5	10
275505	2S-07	7	11	13	6	22	5	20
275500	2S-08	8	11.4	13	6	22	7	20
	2S-09	9	13.5	13	6	22	7	20
275507	2S-10	10	14	13	7	23.5	8	20
	2S-11	11	15	13	7	23.5	9	20
275509	2S-12	12	16.5	14.5	8	23.5	10	30
275510	2S-13	13	18	16	10	23.5	10	30
	2S-14	14	19	17	10	23.5	11	35


ロング／6角



商品コード	型式	二面幅寸法 (mm)	寸法 (mm)					質量 (g)
			D1	D2	L1	L	d	
	2S-03L	3	6	13	3	51	2	15
	2S-04L	4	7	13	4	51	3	20
	2S-05L	5	8	13	5	51	4	25
	2S-06L	6	9	13	5	51	4.5	25
	2S-07L	7	11	13	6	51	5	30
	2S-08L	8	11.4	13	6	51	7	30
	2S-09L	9	13.5	13	6	51	7	35
275490	2S-10L	10	14	13	7	51	8	35
	2S-11L	11	15	13	7	51	10	45
	2S-12L	12	16.5	14.5	8	51	10	50
	2S-13L	13	18	16	10	51	10	60
	2S-14L	14	19	17	10	51	11	70


差込角 9.5mm (3/8")

標準／12角



商品コード	型式	二面幅寸法 (mm)	寸法 (mm)					質量 (g)
			D1	D2	L1	L	d	
274000	3D-08	8	11.7	17	6	26	7	20
274010	3D-10	10	14.7	17	7	26	8	25
274020	3D-11	11	15.7	17	8	26	9	30
274039	3D-12	12	17	18	8	26	10	30
274040	3D-13	13	18.5	18	9	27	10	35
274042	3D-14	14	19.5	18	9	27	11	40
	3D-14.5	14.5	20	18	9	27	11	40
	3D-15	15	21	18	10	29	11	50
274080	3D-16	16	22	19	10	29	14	50
274090	3D-17	17	23	19	11	30	14	70
	3D-17.5	17.5	24	19	11	30	14	70
274095	3D-18	18	24.5	21	12	32	15	60
274120	3D-19	19	26	21	13	32	16	70
274130	3D-21	21	28	22.5	13	32	19.5	75
274131	3D-22	22	30	23.5	14	33	19.5	95
	3D-23	23	31	25.5	14	33	20	100
274133	3D-24	24	32	25.5	15	34	20	110

ロング／12角




商品コード	型式	二面幅寸法 (mm)	寸法 (mm)					質量 (g)
			D1	D2	L1	L	d	
	3D-08L	8	11.7	17	6	54	7	35
	3D-10L	10	14.7	17	8	54	8	50
	3D-12L	12	18	17	9	54	9	60
274041	3D-13L	13	19	17	9	54	9	70
274045	3D-14L	14	20	18	10	54	10	80
	3D-15L	15	21	19	10	54	10	100
274081	3D-16L	16	22	20	11	54	11	110
274091	3D-17L	17	24	20	11	54	11	120
	3D-18L	18	25	21	13	54	13	145
274121	3D-19L	19	26	21	13	54	13	160
	3D-21L	21	29	23	15	64	15	175
	3D-22L	22	30	24	15	64	15	195
275147	3D-24L	24	32	26	17	64	17	200

手動用ソケット


差込角 12.7mm (1/2")

標準／12角




商品コード	型式	二面幅寸法 (mm)	寸法 (mm)					質量 (g)
			D1	D2	L1	L	d	
	4D-08	8	12.3	22	9	35	7	40
	4D-09	9	13.5	22	9	35	7	40
274190	4D-10	10	15	22	10	35	8	40
274200	4D-11	11	16.2	22	10	35	9	45
274201	4D-12	12	17.5	22	10	35	10	50
274220	4D-13	13	18.8	22	10	35	10	50
	4D-14	14	20	22	12	35	11	50
	4D-14.5	14.5	20.6	22	12	35	11	50
	4D-15	15	22	21.5	12	35	11	55
274224	4D-16	16	23	23	12	36	14	65
274270	4D-17	17	24	23	13	37	14	65
	4D-17.5	17.5	24	23	13	37	14	65
274272	4D-18	18	25	23	13	37	15	70
274300	4D-19	19	26	24	14	38	16	70
	4D-20	20	28	25	14	38	16	90
274320	4D-21	21	29	25	15	39	18	90
274330	4D-22	22	30	26	15	40	18	105
274331	4D-23	23	32	27	16	41	20	130
274350	4D-24	24	33	28	17	41	20	130
	4D-25	25	34	28	19	43.5	22	130
274370	4D-26	26	35	28	19	43.5	22	135
274380	4D-27	27	36	29	19	43.5	22	145
	4D-28	28	38	30	19	43.5	22	170
	4D-29	29	39	31	19	43.5	22	175
274410	4D-30	30	40	32	21	47	25	200
	4D-31	31	42	34.5	21	47	25	230
274430	4D-32	32	43	34.5	21	47	25	250
	4D-33	33	44	35.5	21	47	25	250
	4D-34	34	45	36	21	47	25	285
	4D-35	35	46	36	21	47	25	295
274450	4D-36	36	48	38	24	52	30	310

ロング／12角



商品コード	型式	二面幅寸法 (mm)	寸法 (mm)					質量 (g)
			D1	D2	L1	L	d	
	4D-08L	8	12.3	22	9	83	7	95
	4D-09L	9	13.5	22	9	83	7	100
275150	4D-10L	10	15	22	10	83	8	110
	4D-11L	11	16.2	22	10	83	9	115
	4D-12L	12	17.5	22	11	83	10	125
275153	4D-13L	13	18.8	22	11	83	10	135
275154	4D-14L	14	20	22	12	83	11	145
	4D-15L	15	21	22	12	83	11	165
275156	4D-16L	16	23	22	12	83	14	145
275157	4D-17L	17	24	23	16	83	14	175
275164	4D-18L	18	25	23	16	83	15	165(190)*
275158	4D-19L	19	26	24	18	83	17	215
	4D-20L	20	28	26	18	83	16	225
275159	4D-21L	21	29	26	18	83	18	240
275160	4D-22L	22	30	26	18	83	18	270
	4D-23L	23	32	28	18	83	20	295
275162	4D-24L	24	33	28	18	83	20	330
	4D-26L	26	35	30	20	83	22	375
275210	4D-27L	27	36	30(28)*	20(18)*	83	22	395
	4D-29L	29	39	31	21	83	22	480
275212	4D-30L	30	40	34	22	83	25	490
275260	4D-32L	32	43	35	22	83	25	510
	4D-34L	34	45	36	22	83	25	515
	4D-35L	35	46	36	22	83	25	510
275280	4D-36L	36	48	38	24	83	29	540

*年式によって多少の差異があります。



商品コード	型式	二面幅寸法 (mm)	寸法 (mm)					質量 (g)
			D1	D2	H	L	e	
275281	B4L-36W	36	47	42.5	32	100	84	710

ロング／12角／カラー付



カラーに付いた二重リングにロープ等を取り付けることが可能です。
ベースソケット：KTC 12.7sq.ディープソケット(12角)

商品コード	二面幅寸法 (mm)	長さ (mm)	質量 (g)
275290	24	100	約400
275291	30	100	約550

手動用ソケット

差込角 19.0mm (3/4")

標準／12角



商品コード	型式	二面幅寸法 (mm)	寸法 (mm)					質量 (g)
			D1	D2	L1	L	d	
274543	6D-19	19	28	34	14	50	16	170
	6D-21	21	30	34	15	50	18	175
274545	6D-22	22	32	34	15	52	18	195
	6D-23	23	33	34	16	52	20	200
274547	6D-24	24	34	34	17	52	20	200
274548	6D-25	25	37	35	19	53	22	230
274549	6D-26	26	37	35	19	53	22	230
274550	6D-27	27	38	36	19	53	22	245
	6D-28	28	40	37	21	56	22	280
	6D-29	29	40	37	21	56	22	285
274580	6D-30	30	42	39	21	56	25	310
	6D-31	31	43	40	21	56	25	340
274600	6D-32	32	44	40	21	56	25	345
	6D-33	33	46	40	21	58	25	370
274620	6D-34	34	47	40	23	58	25	385
	6D-35	35	48	40	23	58	25	400
274640	6D-36	36	50	40	24	58	30	420
	6D-37	37	51	43	25	59	30	440
274660	6D-38	38	52.5	43	25	60	30	465
	6D-40	40	54.5	44	27	63	35	500
274680	6D-41	41	55.5	44	27	63	35	525
274681	6D-42	42	57	44	27	63	35	535
274700	6D-46	46	62	45	30	65	35	580
274710	6D-50	50	67.5	48	32	70	38	830

ロング／12角



商品コード	型式	二面幅寸法 (mm)	寸法 (mm)					質量 (g)
			D1	D2	L1	L	d	
275381	6D-19L	19	28	34	14	100	16	320
	6D-21L	21	30	34	15	100	18	340
275383	6D-22L	22	32	34	15	100	18	380
275384	6D-24L	24	34	34	17	100	20	400
	6D-26L	26	37	35	19	100	22	470
275385	6D-27L	27	38	36	19	100	22	500
275386	6D-30L	30	42	39	21	100	25	600
275387	6D-32L	32	44	40	21	100	25	670
	6D-35L	35	48	40	23	100	25	700
275389	6D-36L	36	50	40	24	100	30	800
275390	6D-41L	41	55.5	44	27	100	35	940
275391	6D-46L	46	62.5	45	27	100	35	1,200
	6D-50L	50	67.5	48	27	100	38	1,480
275393	6D-55L	55	76	50	35	100	41	1,785

差込角 25.4mm (1")

標準／12角




商品コード	型式	二面幅寸法 (mm)	寸法 (mm)					質量 (g)
			D1	D2	L1	L	d	
274831	8D-27	27	40	46	19	60	22	380
	8D-30	30	44	48	21	62	25	455
274836	8D-32	32	50	50	21	62	25	600
	8D-35	35	52	51	23	65	25	600
274838	8D-36	36	54	51	24	65	30	600
	8D-38	38	55	51	25	68	30	700
274840	8D-41	41	60	51	27	70	35	800
274841	8D-46	46	66	57	34	79	35	900
274842	8D-50	50	72	57	35	82	38	1,000
	8D-54	54	78	58	37	86	41	1,400
274844	8D-55	55	80	58	37	86	41	1,400
	8D-58	58	83	58	38	89	41	1,500
274847	8D-60	60	85	58	40	91	41	1,600
	8D-63	63	89	60	46	95	-	1,900
274849	8D-65	65	90	60	46	95	-	1,800

クリーンルーム用SUSソケット



商品コード	273999
メーカー	前田金属工業
型式	SHS410、S4S-30
質量 (kg)	0.925
備考	析出硬化系ステンレス SHS410ソケットホルダー付




型式 S4S-	二面幅寸法 (mm)	寸法 (mm)					質量 (g)
		D1	D2	L1	L	d	
8	8	12.3	22	9	35	7	40
10	10	15	22	10	35	8	40
12	12	17.5	22	10	35	10	45
13	13	18.8	22	10	35	10	50
14	14	20	22	12	35	11	45
17	17	24	23	13	37	14	60
19	19	26	24	14	38	16	70
21	21	29	25	15	39	18	90
22	22	30	26	15	40	18	95
24	24	33	28	17	41	20	120
30	30	40	32	21	47	25	195

防爆ソケット



商品コード	型式	差込角 (mm)	二面幅寸法 (mm)	素材
275711	NSST33017	12.7	17	ベリリウム銅合金製
275713	NSST33019		19	
275715	NSST33022		22	
275717	NSST33024		24	
275722	NSST33030		30	
275724	NSST33032		32	
275750	CB6S30	19	30	ベリリウム銅合金製
275755	SS-3/4D36MM		36	ニッケルアルミ銅合金製
275760	AMCSS-3/4D46MM		46	


マーキングトルクレンチ用ソケット



商品コード	275667
メーカー	東日製作所
型式	4MH-19
二面幅 (mm) W	19
許容トルク (N・m)	170
高さ (mm) H	105
外形 (mm)	30
適用機種	MPQL50N/MQSP50N~200N4


手動用ヘキサゴンソケット

差込角 6.35mm (1/4")



商品コード	型式	二面幅寸法 S (mm)	寸法 (mm)			質量 (g)
			D	A	L	
275795	2H-03	3	13	13	35	15
275796	2H-04	4	13	18	40	16
275797	2H-05	5	13	22	44	20
275798	2H-06	6	15	26	48	25


差込角 9.5mm (3/8")



商品コード	型式	二面幅寸法 S (mm)	寸法 (mm)			質量 (g)
			D	A	L	
275804	3H-04	4	17	20	47	25
275807	3H-05	5	17	23	50	30
275806	3H-06	6	17	25	52	35
275807	3H-07	7	18	25	54	45
275808	3H-08	8	19	27	56	60
275810	3H-10	10	20	30	59	80


商品コード	型式	二面幅寸法 S (mm)	寸法 (mm)	
			径	長
275805	3C-5	5	19	48

差込角 12.7mm (1/2")




商品コード	型式	二面幅寸法 S (mm)	寸法 (mm)			質量 (g)
			D	A	L	
275815	4H-06	6	22	25	57	60
275811	4H-08	8	22	27	59	75
275812	4H-10	10	22	30	65	90
275813	4H-12	12	22	33	68	105
275814	4H-14	14	22	34	69	175

手動用エクステンションバー



商品コード	型式	差込角 (mm)	寸法 (mm)				質量 (g)
			D	L1	L	d	
287458	206	6.35	12.5	9.0	50	8.0	
287459	EX20-100	6.35	12.5	9.0	100	8.0	
287463	EX30-050	9.5	18.0	13.0	50	10.5	
287466	EX30-125	9.5	18.0	13.0	125	10.5	
287473	EX40-125	12.7	24.0	16.0	125	14.5	—
287477	EX60-100	19	36.0	25.0	100	22.0	390
287479	EX60-150	19	36.0	25.0	150	22.0	650
287480	610	19	36.0	25.0	200	22.0	800
287481	6760-400	19	35.0	—	400	—	1,585
287483	612	25.4	46	31	150	25.0	870
287485	EX80-250	25.4	46	31	250	25.0	1,260

手動用ユニバーサルジョイント



商品コード	型式	差込角 (mm)	寸法 (mm)				質量 (g)
			D1	D2	L1	L	
275821	208	9.5	19	19	12.5	54	65
275822	308	12.7	25	25	15.5	70.5	145
275823	408	19	36	36	25	104	465
275824	608	25.4	45	45	29.5	128	890

手動用ソケットアダプタ



商品コード	型式	差込角 (mm) 凹×凸	寸法 (mm)			質量 (g)
			D	L1	L	
275834	38	6.35×9.5	12.5	9	23	15
275835	48	9.5×6.35	17	13	23.9	25
275836	58	9.5×12.7	18.5	13	32	40
275852	68	12.7×9.5	22	17	31.6	50
275838	128	12.7×19.0	25	17	42	115
275839	138	19.0×12.7	33	25	46.0(50.0)※	170
275840	148	19.0×25.4	38	25	60	340
275841	158	25.4×19.0	46.5	31	61.0(63.0)※	420

※年式によって多少の差異があります。